

International Federation for Cervical Pathology and Colposcopy Internationale Federation für Zervixpathologie und Kolposkopie Federación Internacional de Patología Cervical y Colposcopia Fédération Internationale de Pathologic Cervicale et Colposcopie

2011 IFCPC Nomenclature¹

Accepted in Rio World Congress, July 5, 2011

Nomenclature Committee chairman: Jacob Bornstein MD

	2011 IFCPC colposcopic terminology of the cervix ¹				
General assessment		 Adequate/inadequate for the reason (i.e.: cervix obscured by inflammation, bleeding, scar) Squamo-columnar Junction visibility: completely visible, partially visible, not visible Transformation zone types 1,2,3 			
Normal colposcopic findings		Original squamous epithelium: • Mature • Atrophic Columnar epithelium • Ectopy Metaplastic squamous epithelium • Nabothian cysts • Crypt (gland) openings Deciduosis in pregnancy			
Abnormal colposcopic findings	General principles	Location of the lesion: Inside or outside the T-zone, Location of the lesion by clock position Size of the lesion: Number of cervical quadrants the lesion covers, Size of the lesion in percentage of cervix,			
	Grade 1 (Minor) Grade 2 (Major)	Thin aceto-white epithelium Irregular, geographic border Dense aceto-white epithelium, Rapid appearance of acetowhitening, Cuffed crypt (gland) openings	Fine mosaic, Fine punctation Coarse mosaic, Coarse punctuation, Sharp border, Inner border sign, Ridge sign		
Non specific Suspicious for invasion		Leukoplakia (keratosis, hyperkeratosis), Erosion Lugol's staining (Schiller's test): stained/non-stained Atypical vessels Additional signs: Fragile vessels, Irregular surface, Exophytic lesion, Necrosis, Ulceration (necrotic), tumor/gross neoplasm			
Miscellaneous finding		Congenital transformation zone, Condyloma, Polyp (Ectocervical/ endocervical) Inflammation,	Stenosis, Congenital anomaly, Post treatment consequence, Endometriosis		

¹ Bornstein J, Bentley J, Bosze P, Girardi F, Haefner H, Menton M, Perrotta M, Prendiville W, Russell P, Sideri M, Strander B, Torne A, Walker P. 2011 IFCPC colposcopic nomenclature. In preparation for publication

2011 IFCPC colposcopic terminology of the cervix – addendum ¹			
Excision treatment types	Excision type 1,2,3		
Excision specimen dimensions	Length - the distance from the distal/external margin to the proximal/internal margin		
	Thickness - the distance from the stromal margin to the surface of the excised specimen.		
	Circumference (Optional)- the perimeter of the excised specimen		

¹ Bornstein J, Bentley J, Bosze P, Girardi F, Haefner H, Menton M, Perrotta M, Prendiville W, Russell P, Sideri M, Strander B, Torne A, Walker P. 2011 IFCPC colposcopic nomenclature. In preparation for publication

2011 IFCPC clinical/colposcopic terminology of the vagina ¹			
General assessment	Adequate/inadequate for the reason (i.e: inflammation, bleeding, scar) Transformation zone		
Normal colposcopic findings	Squamous epithelium: • Mature • Atrophic		
Abnormal colposcopic findings	General principles	Upper third /lower 2 thirds, Anterior/posterior/lateral (right or left),	
	Grade 1 (Minor)	Thin aceto-white epithelium Fine punctuation Fine mosaic	
	Grade 2 (Major)	Dense aceto-white epithelium, Coarse punctuation Coarse mosaic	
	Suspicious for invasion	Atypical vessels Additional signs: Fragile vessels, Irregular surface, Exophytic lesion, Necrosis, Ulceration (necrotic), tumor/gross neoplasm	
	Non-specific	Columnar epithelium (adenosis) Lesion staining by Lugol's solution (Schiller's test): Stained/non-stained, Leukoplakia	
Miscellaneous findings		Erosion (traumatic), condyloma, polyp, cyst, endometriosis, iinflammation, Vaginal stenosis, Congenital transformation zone	

The IFCPC clinical and colposcopic terminology for the vulva is pending.

¹ Bornstein J, Bentley J, Bosze P, Girardi F, Haefner H, Menton M, Perrotta M, Prendiville W, Russell P, Sideri M, Strander B, Torne A, Walker P. 2011 IFCPC colposcopic nomenclature. In preparation for publication